

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 41-32-5F
Located on map _____
Received: _____

1) OWNER Harry Moore Address 258 W. Orange, Duncanville, Texas
(Name) (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL:
County Hamilton, 11 S miles in S direction from Hamilton
(N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

18 See attached map. *Map on 41-15-6H*

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check):
 Domestic Industrial Public Supply
 Irrigation Test Well Other _____

5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored
 Air Rotary Cable Tool Jetted Other _____

6) WELL LOG:
Date drilled 10-31-78
475

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>6 1/4</u>	Surface	<u>475</u>

7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval ... from 385 ft. to 475 ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casings Screen
						From	To	
0	18	top soil and caliche						
18	35	gray and blue shale						
35	41	scapstone						
41	58	sand	<u>4 1/2</u>	new	steel casing (.141)	0	430	
58	295	sandy lime	<u>4 1/2</u>	new	slotted casing	430	450	1/8'
295	304	sandy shale	<u>4 1/2</u>	new	steel casing (.141)	450	475	
304	320	sand						
320	385	sandy shale						
385	435	brown lime						
435	475	red						

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

(Use reverse side if necessary)

CEMENTING DATA
Cemented from 365 ft. to 385 ft.
Method used poured
Cemented by driller
(Company or Individual)

9) WATER LEVEL:
Static level 280 ft. below land surface Date 10/31/78
Artesian flow _____ gpm. Date _____

10) PACKERS: Type _____ Depth _____

11) TYPE PUMP:
 Turbin Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 430 ft.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

12) WELL TESTS:
 Type Test Pump Bailor Jetted Estimated
Yield: 7 gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Joe G. Dalton Water Well Drillers Registration No. 860
(Type or Print)
ADDRESS P. O. Box 208, Hamilton, Texas
(Street or RFD) (City) (State) (Zip)
(Signed) Joe G. Dalton Dalton Drilling & Service, Inc.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

1. P. Williams
2. Bob-Whaley
3. John Schuster
4. Ralph Bridwell
5. Harry Hansen
6. Don & Nita Hiller
7. Dale Sills
8. Elverne Jones
9. Adolf Viertel
10. Meissner Bros.
11. Willie Busch
12. Eddie Bosse
13. Billy Rhodes
14. Chuck Martin
15. Chuck Martin
16. Mrs. Aline Bass
17. Mrs. Aline Bass
18. Harry Moore
19. W. L. Selman
20. James Estate
21. Ellis Lee
22. V. P. Jenkins
23. Roger Gowan
24. Earl Booth
25. Geroge Kilgo
26. Ed Craig
27. Don Rudolph
28. Harold Shockley
29. Lewis Jackson
30. Parrish Bros. Dairy
31. J. B. Putty
32. Willie Sptizenberger


41-15-611

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2 of the TDWR-0392 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



Map of Section 36, T11N, R10E, S12E

DEPT. OF
WATER RESOURCES

JUN 25 1979

CR/TDWR

