

ATTENTION OWNER: Confidentiality  
Privilege Notice on Reverse Side

STATE OF TEXAS  
WATER WELL REPORT

1) OWNER: KINNEY, DON ADDRESS: 12865 W. ALAMEDA DR. CITY: LAKEWOOD STATE: CO ZIP: 80228-

2) ADDRESS OF WELL: 5)  
County: GILLESPIE GRID # 56-48-4  
Street or RFD: SCENIC VISTAS, LOT #15  
City, State, Zip code: TX

3) TYPE OF WORK: NEW WELL 4) PROPOSED USE: DOMESTIC  
If Public Supply well, were plans submitted to the TNRCC?

6) WELL LOG: 20164		DIAMETER OF HOLE		7) DRILLING METHOD:	8) BOREHOLE COMPLETION:		
DATE DRILLING:		DIAMETER	FROM TO		OPEN HOLE	FROM	FT. TO
STARTED: 05/12/00		9	0 112	AIR ROTARY/HAMMER	IF GRAVEL...	FROM	FT. TO
COMPLETED: 05/12/00		6	112 270		FROM	FT. TO	FT.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING	SCREEN
6	N	PVC CASING	+2	112		SCH 40

GEOLOGICAL DESCRIPTION:

FROM	TO	DESCRIPTION
0	1	TOPSOIL
1	10	LINESTONE-WHITE SOME CLAY
10	90	LINESTONE-WHITE LINESTONE-BROWN LINESTONE-GRAY
90	110	BROKEN LINESTONE-BROWN WITH VOID
110	255	LINESTONE-WHITE LINESTONE-BROWN LINESTONE-GRAY
255	270	LINESTONE-GRAY
270	270	SHALE-GRAY

*Ed*  
*GP*

9) CEMENTING DATA:

Cemented from 0 FT. TO 50 FT. No. of Sacks Used 2  
 FT. TO FT.  
 Method used: GROUT  
 Cemented by: TAYLOR VIRDELL, JR.  
 Distance to septic field lines: ft.  
 Method of verification of above distance:

10) SURFACE COMPLETION:

SPEC. STEEL SLEEVE

11) WATER LEVEL:

STATIC LEVEL : 145 FT. DATE: 05/12/00  
 ARTESIAN FLOW: GPM. DATE:

12) PACKERS: TYPE DEPTH  
 6" RUBBER BELL PACK. 50

13) TYPE PUMP:  
 SUBMERSIBLE  
 DEPTH TO PUMP: 240

14) WELL TEST:  
 JETTED  
 YIELD: 22 GPM WITH FT DRAWDOWN AFTER HRS

15) WATER QUALITY:

TYPE OF WATER: GOOD DEPTH OF STRATA: 155,210,220,235,247,256  
 NO STRATA OF UNDESIRABLE WATER PENETRATED

CHEMICAL ANALYSIS MADE

360 T.D.S.

COMPANY NAME: VIRDELL DRILLING INC. WATER WELL DRILLER'S LICENSE NO. 1900 4071 WPKL  
 ADDRESS: 111 E. GRAYSON ST. CITY: LLANO STATE: TX ZIP CODE: 78643

FOR TWC USE ONLY  
 WELL NO. \_\_\_\_\_  
 LOCATED ON MAP \_\_\_\_\_

I HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 15 WILL RESULT IN THE LOG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

(signed) Jayson VirdeLL  
 (LICENSED WATER WELL DRILLER)

(signed) \_\_\_\_\_  
 (REGISTERED DRILLER TRAINEE)

R-01936

### STATE OF TEXAS WELL REPORT for Tracking #61218

Owner:	Michael Nicholson	Owner Well #:	No Data
Address:	c/o Ralph Nicholson Box 1287 Helotes, TX 78023	Grid #:	56-48-4
Well Location:	.5 mi. N/W from Reeh Rd. on Scenic Vistas Dr.; 1000' N on Scenic Outlook Dr., TX	Latitude:	30° 19' 35" N
Well County:	Gillespie	Longitude:	099° 05' 23" W
Elevation:	No Data	GPS Brand Used:	Garmin III
Type of Work:	New Well	Proposed Use:	Domestic

Drilling Date: Started: 6/21/2005  
Completed: 6/21/2005

Diameter of Hole: Diameter: 9 In From Surface To 132 ft  
Diameter: 6.75 in From 132 ft To 133 ft  
Diameter: 6 In From 133 ft To 280 ft

Drilling Method: Air Hammer

Borehole Completion: Open Hole

Annular Seal Data: 1st Interval: From 0 ft to 8 ft with 1 Cement (#sacks and material)  
2nd Interval: From 8 ft to 50 ft with 10 Bentonite (#sacks and material)  
3rd Interval: No Data  
Method Used: Grout  
Cemented By: Lynn Hoy  
Distance to Septic Field or other Concentrated Contamination: 100+ ft  
Distance to Property Line: 77 ft  
Method of Verification: measure  
Approved by Variance: No Data

Surface Completion: Surface Sleeve Installed

Water Level: Static level: 138 ft. below land surface on 6/21/2005  
Artesian flow: No Data

Packers: Rubber 50'

Plugging Info: Casing or Cement/Bentonite left in well: No Data

Type Of Pump: Submersible  
Depth to pump bowl: 260 ft

Well Tests: Jetted  
Yield: 20 GPM with (No Data) ft drawdown after (No Data) hours

Water Quality: Type of Water: good (330 ppmTDS)  
Depth of Strata: 158-170, 215, 253 ft  
Chemical Analysis Made: No  
Did the driller knowingly penetrate any strata which contained undesirable constituents: No

**Certification Data:** The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

**Company Information:** **Virdell Drilling Inc.**  
**111 E. Grayson St.**  
**Llano, TX 78643**

**Driller License Number:** **4071**

**Licensed Well Driller Signature:** **Lynn Hoy**

**Registered Driller Apprentice Signature:** **No Data**

**Apprentice Registration Number:** **No Data**

**Comments:** **Location Cont.: Scenic Vistas Sub., Tract #18**

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #61218) on your written request.

**Texas Department of Licensing & Regulation**  
**P.O. Box 12157**  
**Austin, TX 78711**  
**(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL**

**CASING, BLANK PIPE & WELL SCREEN DATA**

From (ft) To (ft) Description

Dia. New/Used Type Setting From/To

0 - 1 Topsoil  
 1 - 10 Caliche & Limestone Ledges  
 10 - 230 Light Gray Limestone  
 230 - 268 Gray Limestone  
 268 - 275 Gray Shaley Limestone  
 275 - 280 Gray Shale & Limestone Streaks

6" N PVC +2 - 133 sch 40

*Ed*  


---

*GA*

TRACKING# 27569

STATE OF TEXAS WELL REPORT

OWNER: MIGUEL BALDERRAMA

OWNER 5017 70TH ST. SOUTH

ADDRESS OF WELL'S LOCATION:

ADDRESS: TACOMA

, WA 98409

320 SENIC VISTAS DR.  
FREDERICKSBURG ,TX 78624

COUNTY: Gillespie LATITUDE: 301924

LONGITUDE: 990518

Brand/Model of GPS: GARMIN

Owner's Well Number: 1

ELEVATION:

Grid Number: 56 - 48 - 4

TYPE OF WORK:

- New Well
- Replacement Well
- Deepening
- Reconditioning
- Industrial
- Irrigation
- De-watering
- Injection
- Public Supply
- Rig Supply
- Env. Soil Boring
- Domestic
- Geothermal Heat Loop
- Stock
- Test Well

If Public Supply well, were plans submitted to the TNRCC?  Yes  No

WELL LOG:

Date Drilling:	Started	Completed	Di. (in.)	From (ft.)	To (ft.)
	10/14/2003	10/14/2003	9.75	Surface	50
			8.00	50	70
			6.75	70	84

DRILLING METHOD:

- Driven
- Air Hammer
- Hollow Stem Auger
- Bored
- Air Rotary
- Cable Tool
- Reverse Circulation
- Mud Rotary
- Jetted
- Other

BOREHOLE COMPLETION:

- Open Hole
- Underreamed
- Other
- Straight Wall
- Gravel Packed

Gravel Packed Interval from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
Size \_\_\_\_\_

ANNULAR SEAL DATA:

Cemented from 0 ft. to 50 ft. #Sacks & Material 3 CEMENT  
 Cemented from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. #Sacks & Material  
 Cemented from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. #Sacks & Material

Method Used GRAVITY CEMENTED

Cemented By L & L DRILLING CO.

Distance to Septic System N/A ft.

Distance to Property Line 100 ft.

Method of Verification ESTIMATED

Approved by Variance No. \_\_\_\_\_

SURFACE COMPLETION:

- Surface Slab Installed
- Surface Sleeve Installed
- Pileless Adapter Used
- Alternative Procedure Used

WATER LEVEL:

Static level 123 ft. below land surface  
 Artesian Flow \_\_\_\_\_ gpm. Date 10/14/2003

PLUGGED:

Well Plugged within 48 hours  
 Casing left in well: Cement/Bentonite left in well:  
 From (ft.) To (ft.) From (ft.) To (ft.) Cem/Bent Sacks Used:

TYPE OF PUMP:

- Turbine
- Jet
- Submersible
- Cylinder
- Other

Depth to pump bowls, cylinder, jet, etc. \_\_\_\_\_

PACKERS:

Type \_\_\_\_\_ Depth  
 RUBBER CUP 50'

WELL TESTS:

Type of test:  Pump  Bailor  Jetted  Estimated  
 Yield: 20 gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

WATER QUALITY:

Did Driller knowingly penetrate any strata which contained undesirable constituents?  Yes  No

Type of water: 260 TDS, 16 GRAINS  
 Depth of Strata: 100,120,140,170,180,200  
 Chemical Analysis made?  Yes  No

COMPANY NAME L & L DRILLING CO.

WELL DRILLER'S LICENSE NO. 1595

ADDRESS DRAWER 217

HYE

TX 78635

Name as Signature GREGORY A. SMITH

Registered Driller Apprentice

LYNETTE SMITH

WWDAPP00001264

Driller Comments: DIAMETER OF HOLE CONTINUED: 6.00" FROM B4' TO 264'

R-026116

Tracking # 27569

**WELL REPORT CONFIDENTIALITY NOTICE**

TEX. OCC.CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail a written request to do so from the owner. (Please include the report's Tracking number on your written request)

**Texas Department of Licensing & Regulation**  
**Water Well Driller/Pump Installer Section**  
P.O. Box 12157  
Austin, TX 78711  
(512)463-7880 FAX (512)463-8616  
Toll free (800)803-9202

Email address: [water.well@license.state.tx.us](mailto:water.well@license.state.tx.us) Web address: [www.license.state.tx.us](http://www.license.state.tx.us)

**DESCRIPTION AND COLOR OF FORMATION MATERIAL**

**CASING, BLANK PIPE, AND WELL SCREEN DATA**

DESCRIPTION AND COLOR OF FORMATION MATERIAL			CASING, BLANK PIPE, AND WELL SCREEN DATA				
From (ft.)	To (ft.)	Description	Dia.	New/ Used	Type	Setting From/To	Gage
0	1	BROWN TOPSOIL					
1	12	WHITE & YELLOW CALICHE	6	NEW	PLASTIC SOLID	+2 78	.280
12	101	WHITE & YELLOW LIMESTONE	4.5	NEW	PLASTIC SLOTTED	77 118	.248
101	186	WHITE & YELLOW LIMESTONE WITH GRAY STREAKS	4.5	NEW	PLASTIC SOLID	118 264	.248
186	228	BROWN & GRAY LIMESTONE					
228	245	GRAY LIMESTONE WITH BROWN STREAKS					
245	264	GRAY CLAY & SHALE					
100	120	WATER TRACE					
120	140	WATER TRACE					
140	160	WATER 2 GPM					
170	180	WATER 8 GPM					
180	200	WATER 5 GPM					
200	220	WATER 5 GPM					

E.  
GP

D-021111

Attention Owner:  
Confidentiality Privilege Notice  
Reverse side of owner's copy.

### Texas Department of License and Regulation

Water Well Driller/Pump Installer Program  
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616  
Toll free (800)803-9202

This form must be completed and filed with the department and owner within 60 days upon completion of the well.

Email address: [water.well@license.state.tx.us](mailto:water.well@license.state.tx.us)

## WELL REPORT

Name <b>Trevor Belch</b>	Address <b>15338 Cartabentacort</b>	City <b>Cornus Christi</b>	State <b>TX</b>	Zip <b>78418</b>
-----------------------------	----------------------------------------	-------------------------------	--------------------	---------------------

County <b>Gillespie</b>	Physical Address <b>Loma Vista Reah Road</b>	City <b>Fredericksburg</b>	State <b>TX</b>	Zip
----------------------------	-------------------------------------------------	-------------------------------	--------------------	-----

3) Type of Work  
 New Well     Deepening  
 Reconditioning

4) Proposed Use (check)     Monitor     Environmental Soil Boring     Domestic  
 Industrial     Irrigation     Injection     Public Supply     De-watering     Testwell  
 If Public Supply well, were plans submitted to the TNRCC?     Yes     No

5) **NT**

6) Drilling Date  
 Started **9 / 4 / 2000**  
 Completed **9 / 4 / 2000**

Diameter of Hole		
Dia.(in)	From (ft)	To (ft)
<b>7 7/8</b>	<b>surface</b>	<b>260</b>

7) Drilling Method (check)     Driven  
 Air Rotary     Mud Rotary     Bored  
 Air Hammer     Cable Tool     Jetted  
 Other \_\_\_\_\_

From (ft)	To (ft)	Description and color of formation material
0-14		surface limestone
14-20		caliche
20-22		white limestone
22-46		tan limestone
46-52		yellow caliche
52-64		gray limestone (white)
64-158		tan limestone
158-205		gray limestone
205-245		tan limestone
245-260		gray shale

8) Borehole Completion     Open Hole     Straight Wall  
 Under-reamed     Gravel Packed     Other \_\_\_\_\_  
 If Gravel Packed give the interval from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft)		Cage Casing Screen
			From	To	
5	new	pvc	plus 1	260	

9) Cementing Data  
 Cementing from **60** ft. to **surf** ft. # of sacks used **10**  
 \_\_\_\_\_ ft. to \_\_\_\_\_ ft. # of sacks used \_\_\_\_\_  
 Method Used \_\_\_\_\_  
 Cementing By **grout**  
 Distance to septic system field or other concentrated contamination \_\_\_\_\_ ft.  
 Method of verification of above distance **no septic system**

13) Plugged     Well plugged within 48 hours  
 Casing left in well: \_\_\_\_\_ Cement/Bentonite placed in well: \_\_\_\_\_

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

14) Type pump  
 Turbine     Jet     Submersible     Cylinder  
 Other \_\_\_\_\_  
 Depth to pump bowls, cylinder, jet, etc. **240** ft.

15) Water Test  
 Type test:  Pump     Bailer     Jetted     Estimated  
 Yield: **10** gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

16) Water Quality  
 Did you knowingly penetrate and strata which contain undesirable constituents.  
 YES     NO    If yes, did you submit a REPORT OF UNDESIRABLE WATER  
 Type of water **potable**    Depth of Strata **205-245**  
 Was a chemical analysis made     Yes     No

10) Surface Completion  
 Specified Surface Slab Installed  
 Specified Surface Sleeve Installed  
 Pileless Adapter Used  
 Approved Alternative Procedure Used

11) Water Level  
 Static level \_\_\_\_\_ ft. below \_\_\_\_\_ Date **not tested**  
 Artesian Flow \_\_\_\_\_ gpm. Date \_\_\_\_\_ / \_\_\_\_\_ / \_\_\_\_\_

12) Packers    Type    Depth  
**1 rubber packer at 60 ft**

Company or individual's Name (type or print) \_\_\_\_\_

Address <b>Helmann Water Well Drilling</b>	City <b>London</b>	State <b>TX</b>	Zip <b>76854</b>
-----------------------------------------------	-----------------------	--------------------	---------------------

Signature: **[Signature]**    Date: **09/04/00**